

DECLARATION OF CONFORMITY

Manufacturer:



Address:

PHARMACOM d.o.o.
Studenec 5e
1260 Ljubljana-Polje
Slovenija

Tel:+386 (0) 59 049 335

e-mail: info@pharmacom.si
info: www.pharmacom.si

Product and description:

**AUTOMATIC ROLLER DOORS FOR PEOPLE
hermetic pvc roller door**

Type:

MEDICO CLEAN

Requirements with which the product conforms:

1. Ordinance on the safety of machinery (MD) (Official Gazette of RS, no. 52/00, 55/03 and 26/03)
Directive 98/37/EC and 98/79/EC
2. Order on electrical equipment designed of use within certain voltage limits (LVD)
(Official Gazette of RS, no. 53/00, 87/03,, 26,03 and 27/04)
Directive 73/23/EEC
3. Electromagnetic compatibility EMC)
(Official Gazette of RS, no. 84/01, 32/02, 77/03 and 26/03)
Directive 89/336/EEC, 92/31/EEC and 98/13/EEC

and also meets the requirements of the following standards:

4. BS-EN 16005:2013 Steered door for people - Part 1: Requirements of product and testing procedures.
5. BS-EN 16005:2013 Steered door for humans - Part 2: Security
At controlled doors for the passage of people
6. BS-EN 50081-1: Electromagnetic compatibility -
Generic emission standards - Part 1:
Residential, commercial and light industry
7. BS-EN 50082-1: Electro magnetic compatibility –
Generic immunity standard – Part 1 :
Residential, commercial and light industry

Note: maximum air leakage is 70m³/h

Place and date:

Signature of authorized person: dir. Robert EFERL

Ljubljana, 22.11.2013